

**IN THE CLAIMS**

1. (canceled)

2. (canceled)

3. (cancelled)

4. (canceled)

5. (previously presented)      An architectural archway for an aircraft having an elongated fuselage with an upper crown portion, a floor member and a lower lobe portion, said archway comprising an inverted arcuate structure with two spaced apart end members, said structure adapted to fit inside the fuselage and be positioned on the floor member with said end members positioned on the floor member on opposite sides of the fuselage, the architectural archway further comprising a lavatory positioned in said archway structure adjacent one of said end members.

6. (previously presented)      An architectural archway for an aircraft having an elongated fuselage with an upper crown portion, a floor member and a lower lobe portion, said archway comprising an inverted arcuate structure with two spaced apart end members, said structure adapted to fit inside the fuselage and be positioned on the floor member with said end members positioned on the floor member on opposite sides of the fuselage, the architectural archway further comprising a flight attendant seat member positioned in said archway structure.

7. (canceled)

8. (canceled)

9. (canceled)

10. (cancelled)

11. (canceled)

12. (previously presented) A pair of architectural archways for an aircraft having an elongated fuselage with a door member, an upper crown portion, a floor member and a lower lobe portion, each of said archways comprising an inverted curved structure with a curved central portion and two spaced apart leg members, each of said leg members having an end member adapted to be positioned on the floor member, said pair of archways adapted to be positioned in the aircraft adjacent to and framing a door member, wherein at least one of said pair of archway structures has a lavatory in it.

13. (previously presented) A pair of architectural archways for an aircraft having an elongated fuselage with a door member, an upper crown portion, a floor member and a lower lobe portion, each of said archways comprising an inverted curved structure with a curved central portion and two spaced apart leg members, each of said leg members having an end member adapted to be positioned on the floor member, said pair of archways adapted to be positioned in the aircraft adjacent to and framing a door member, wherein at least one of said pair of archway structures has a flight attendant seat member in it.

14. (canceled)

15. (canceled)

16. (cancelled)

17. (canceled)

18. (canceled)

19. (canceled)

20. (canceled)

21. (canceled)

22. (canceled)

23. (canceled)

24. (canceled)

25. (previously presented)    An aircraft having a fuselage for carrying passengers, said fuselage having an upper crown portion, a lower lobe portion, a passenger portion, a floor member in said passenger portion, at least one door member in said passenger portion, and at least one conduit from an aircraft support system, comprising at least one archway member positioned in said passenger portion of said fuselage, said archway member having an inverted curved configuration with a curved central portion and two curved end portions, each of said curved end portions having an end member positioned on said floor member, the aircraft further comprising a lavatory positioned in at least one curved end portion of said archway member.

26. (previously presented)    An aircraft having a fuselage for carrying passengers, said fuselage having an upper crown portion, a lower lobe portion, a passenger portion, a floor member in said passenger portion, at least one door member in said passenger portion, and at least one conduit from an aircraft support system, comprising at least one archway member positioned in said passenger portion of said fuselage, said archway member having an inverted curved configuration with a curved central portion and two curved end portions, each of said curved end portions having an end member positioned on said floor member, the aircraft further comprising a seat member positioned in at least one curved end portion of said archway member.

27. (canceled)

28. (canceled)

29. (canceled)

30. (canceled)

31. (canceled)

32. (canceled)

33. (canceled)

34. (canceled)

35. (previously presented)    An architectural archway for an aircraft having an elongated fuselage with an upper crown portion, a floor member and a lower lobe portion, said archway comprising an arch-like structure with two spaced apart end members, said structure adapted to fit inside the fuselage and be positioned on the floor member with said end members positioned on the floor member on opposite sides of the fuselage, the archway further comprising a lavatory positioned in said archway structure adjacent one of said end members.

36. (previously presented)    An architectural archway for an aircraft having an elongated fuselage with an upper crown portion, a floor member and a lower lobe portion, said archway comprising an arch-like structure with two spaced apart end members, said structure adapted to fit inside the fuselage and be positioned on the floor member with said end members positioned on the floor member on opposite sides of the fuselage, the archway further comprising a flight attendant seat member positioned in said archway structure.

37. (canceled)

38. (canceled)

39. (canceled)

40. (canceled)

41. (canceled)